




Timken MANUFACTURING (THAILAND)CO.,LTD.

30,000 mm x 62,000 mm x 48,4 mm NTN
UEL206D1 deep groove ball bearings



UEL206D1 Bearing 2D drawings and 3D CAD models

Bearing No. UEL206D1

Size	30x62x48.4 mm
Bore Diameter	30,000 mm
Outer Diameter	62,000 mm
Width	48,4 mm
d	30,000 mm
D	62,000 mm
B	48,4 mm
B1	36,5 mm
C	19 mm
Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.45
EAN	4547359507300
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	30MM Bore; Wide Inner Ring; Ball Bearing; 48.4MM



Timken MANUFACTURING (THAILAND)CO.,LTD.

	Length Thru Bore; 19MM Outer Race Width; 62MM Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Eccentric Collar Mounting Method; No Snap
Inch - Metric	Metric
Other Features	Single Row Light Duty Steel Cage With Set Screw Has Flinger Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UEL206D1
Weight / LBS	0.992
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Length Thru Bore	1.906 Inch 48.4 Millimeter
Outer Race Width	0.748 Inch 19 Millimeter
bore diameter:	30 mm
operating temperature range:	-40 to 120 ° C
outside diameter:	62 mm
fillet radius:	1 mm
outer ring width:	19 mm
radial dynamic load capacity:	19500 N
inner ring width:	36.5 mm
radial static load capacity:	11300 N
bore type:	Round
bearing material:	Through Hardened Steel



Timken MANUFACTURING (THAILAND)CO.,LTD.

locking device:	Eccentric Collar
finish/coating:	Uncoated
duty type:	Standard Duty
seal type:	Contact
overall width:	48.40 mm
manufacturer product page:	Click here