




Timken MANUFACTURING (THAILAND)CO.,LTD.

28 mm x 68 mm x 18 mm NTN 63/28LLU deep groove ball bearings



Bearing No. 63/28LLU

63/28LLU Bearing 2D drawings and 3D CAD models

Size	28x68x18 mm
Bore Diameter	28 mm
Outer Diameter	68 mm
Width	18 mm
d	28 mm
D	68 mm
B	18 mm
C	18 mm
r min.	1,1 mm
da min.	34,5 mm
da max	38,5 mm
Da max.	61,5 mm
ra max.	1 mm
Weight	0,284 Kg
Basic dynamic load rating (C)	26,7 kN
Basic static load rating (C0)	14 kN
Reference speed	7 400 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.287
EAN	4547359571882
Product Group	B00308
Enclosure	2 Seals



Timken MANUFACTURING (THAILAND)CO.,LTD.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	28MM Bore; 68MM Outside Diameter; 18MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	63/28LLU/2A
Weight / LBS	0.633
Bore	1.102 Inch 28 Millimeter
Outer Race Width	0.709 Inch 18 Millimeter
Outside Diameter	2.677 Inch 68 Millimeter
bore diameter:	28 mm
precision rating:	ISO Class 0
outside diameter:	68 mm
finish/coating:	Uncoated
overall width:	18 mm
bearing material:	High Carbon Chrome Steel



Timken MANUFACTURING (THAILAND)CO.,LTD.

bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	18 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	18 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	7400 rpm
internal clearance:	CN
fillet radius:	1.1 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	13000 RPM
dynamic load capacity:	26700 N
series:	63
static load capacity:	14000 N
manufacturer product page:	Click here